Chief Secretary's Office, Adelaide, March 23rd, 1896.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general j. V. O'LOGHLIN, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of January, 1891-96.

Years	1891.	1892.	1893.	1894.	1895.	Average of Five					18	896.						Total
*Population, Jan. 1st	314,195	320,723	331,721	341,978	347,720	Years.				1000	352	,653		313				for 1896.
Births	817	890	777	872	864	844					8	13				-		813
Rate per cent	•260	.277	.234	.255	•248	_	231											
Deaths							All Ages.	Under 1 year.	l and under 5.	band under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not Rtsteil.	+Coroners'	‡Uncerti- fied causes of Death.	
All causes	291	400	330	435	326	356	442	157	25	36	56	59	77	32		41	20	442
Rate per cent	.093	•125	.099	127	.094	_	•125	_		_		_		_	_	_	-	
Diseases— I. Specific Febrile or Zymotie II. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified		72 1 6 51 45 166 32	54 3 4 59 33 134 18	101 3 7 65 45 165 26	60 1 4 51 24 121 33		$ \begin{array}{c c} 92 \\ \hline 3 \\ 66 \\ 46 \\ 165 \\ 27 \end{array} $	3 5 13 49 4	10 - 3 - 7 4	7 - 9 - 15 5	15 — 17 — 18 5	6 18 29 4	8 — 13 14 38 4	2 - 1 19 9 1				
causes	24	27	25	23	32	-	43	39	1	_	1	2				-		

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

* Not certified by qualified practitioners.

Causes of Deaths registered in the Month of January, 1896.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I						Diseases of locomotive sys-		
Measles	-		V.			tem		1
Scarlet fever	-	-	Premature birth	11	- /	Diseases of integumentary		
Relapsing fever	-		Cyanosis	-		system	_	
Influenza	3	13	Congenital defects,	2	-	VII.		
Whooping-cough	2	2	Old age	_	33	(Accident.)		
Diphtheria	1	1	VI.			Fracture and contusion		8
Simple and ill-defined fever	-	-	Apoplexy	1	14	Gunshot wound	_	
Enteric fever	-	11	Epilepsy	-	_	Cut, stab		-
Simple cholera	2	1	Convulsions	9	2	Burn and scald	1	3
Diarrhœa, dysentery	34	9	Other diseases of brain and			Poison	_	-
Remittent fever	-		nervous system	5	9	Drowning		4
Venereal affections	1	- 1	Diseases of organs of special			Suffocation	1	
Erysipelas	-	3	sense	1	1	Otherwise	2	7
Pyæmia and septicæmia	1	4	Diseases of circulatory sys-			(Homicide.)		
Puerperal fever		4	tem	-	27	Murder and manslaughter		
Other zymotic diseases	-	_	Croup	-	_	(Suicide.)		
II.			Bronchitis	6	8	Gunshot wound		
Thrush	_	_	Pneumonia	4	12	Cut, stab	-	1
Worms and other parasitical			Pleurisy	-	2	Poison	_	
diseases		-	Other diseases of respiratory			Drowning		-
III.			system		2	Hanging	_	_
Privation—want of breast milk	3		Dentition	4	_	Otherwise	-	_
Alcoholism		_	Quinsy, sore throat	1	-	(Execution.)		
IV.			Enteritis	15	7	HangingVIII.		-
Rheumatic fever and rheuma-			Peritonitis	-	3	VIII.		
tism of heart	-		Diseases of liver	1	4	Dropsy	-	1
Rheumatism	-	-	Other diseases of digestive			Debility, atrophy, inanition	39	1
Gout	-	1	system	2	9	Mortification	_	
Cancer, malignant disease	-	23	Diseases of lymphatic sys-			Tumor	-	-
Tabes mesenterica	1	-	tem and of ductless glands	-	1	Abscess	-	_
Tubercular meningitis	-1	3	Diseases of urinary system	-	8	Hæmorrhage	-	-
Phthisis	-	26	Diseases of generative sys-			Sudden, cause unascertained		_
Scrofula, tuberculosis	3	6	tem		5	Other ill-defined and not		
Other constitutional diseases	_	2	Accidents of childbirth	-	1	specified causes	_	2

Return of Births and Deaths registered in the City of Adelaide in the Month of January, 1891-96.

Years	1891.	1892	1893	1894.	1895.	Average of Five					18	896.						Total for
Population, Jan. 1st	37,727	38,240	39,073	39,749	40,167	Years.				-	40	,406						1896.
Births	103	93	95	95	93	96	100							100				
Rate per cent	•273	•243	•243	•239	•231					193	• 2	247	ass	110.6				
Deaths —							All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncertified sauses of death.	
All causes	68	61	82	68	71	70	83	20	4	9	18	19	11	2	-	4	_	83
Rate per cent	·180	·160	•210	·171	.177	_	•205	_		_		_	_	_	_	-	-	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 12. Constitutional 13. V. Developmental 14. Violence 15. VIII. Ill-defined and not specified causes	9 1 4 19 6 18 5	10 -2 8 8 26 2	14 1 2 19 7 31 1	7 2 1 12 7 33 2	11 -4 14 2 29 3		13 	$\frac{4}{2}$ $\frac{1}{4}$ $\frac{9}{9}$		1 - 3 - 4 1	5 - 6 - 7	- - 4 - 13 2	2 - 3 2 4	1 - 1				

^{*} Including inquests.

Causes of Deaths registered in the Month of January, 1896.

	1		1	1	1 ,		1	1
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
T.						Accidents of childbirth	_	
Measles			Scrofula, tuberculosis	_	4	Diseases of locomotive system	_	
Scarlet fever	_		Other constitutional diseases			Diseases of integumentary		
Polonging fover	_		Other constitutional diseases			system	_	_
Relapsing fever	1	1	v.			System		
Whooping-cough			Premature birth	_		VII. (Accident.)		
Diphtheria			Cyanosis	_		Fracture and contusion		1
Simple and ill-defined fever	_		Congenital defects	1		Gunshot wound		
Enteric fever		1	Old age		3	Cut, stab		
Simple cholera		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Burn and scald	_	2
Diarrhœa, dysentery	2	1	VI.			Poison		_
Remittent fever			Apoplexy	_	2	Drowning	_	-
Venereal affections	1		Epilepsy	_		Suffocation	_	
Erysipelas		1	Convulsions	1	1	Otherwise	-	1
Pyæmia and septicæmia		3	Other diseases of brain and			(Homicide.)		
Puerperal fever		2	nervous system	1	5	Murder and manslaughter	-	-
Other zymotic diseases	_		Diseases of organs of special			(Suicide.)		
			sense	-		Gunshot wound		-
II.			Diseases of circulatory system	-	4	Cut, stab	-	-
Thrush			Croup	-		Poison	-	-
Worms and other parasitical			Bronchitis	-	1	Drowning	-	-
diseases	-	_	Pneumonia	-	3	Hanging	-	-
			Pleurisy	-	1000	Otherwise	-	_
III.			Other diseases of respiratory			(Execution)		
Privation—want of breast milk	2	-	system	_	_	Hanging	-	
Alcoholism	-		Dentition	1	- 11			
***			Quinsy, sore throat	_	-	VIII.		1.
IV.			Enteritis	1	3	Dropsy	_	_
Rheumatic fever and rheuma-			Peritonitis	_	2	Debility, atrophy, inanition	9	_
tism of heart	-	_	Diseases of liver	-	2	Mortification	-	
Rheumatism	-	-	Other diseases of digestive			Tumor	-	
Gout	_	1	system	-	2	Abscess		
Cancer, malignant disease	1	5	Diseases of lymphatic sys-			Hæmorrhage		
Tabes mesenterica		1	tem and of ductless glands	-	_	Sudden, cause unascertained	-	
Tubercular meningitis	_	1	Diseases of urinary system	_	2	Other ill-defined and not		
Phthisis	_	6	Diseases of generative system		3	specified causes		

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of January, 1896.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
			,				
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	40,406	6,313	7,041	8,496	9,870	3,705	4,981
Persons to an acre	11.1	11.0	10.7	15.4	13.7	7.7	7.7
Births Male Female	100 57 43	19 9 10	21 12 9	24 13 11	21 15 6	1 - 1	14 8 6
Deaths	66 29 37	13 6 7	9 5 4	11 4 7	16 8 8	8 3 5	9 3 6
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes Percentage of Deaths to population of each Ward	11 -2 12 3 25 4 9	2 -4 1 3 -3 -206	3 1 2 - 3 - -	2 - 1 4 2 2 - 	1 4 - 8 - 3	2 - 1 - 5 - - -	2 1 1 2 2 1
rereentage of Deaths to population of each " ard	100	200	120	120	202	210	101

Causes of Deaths registered in the Month of January, 1896.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis	_	5	Accidents of childbirth	_	_
Measles	_	_	Scrofula, tuberculosis		2	Diseases of locomotive system	_	
Scarlet fever			Other constitutional diseases.			Diseases of integumentary		
Relapsing fever	_	_				system		-
Influenza	1	1	V.			VII.		1
Whooping-cough		_	Premature birth	-		(Accident.)		
Diphtheria	_	_	Cyanosis		_	Fracture and confusion		1
Simple and ill-defined fever	_	_	Congenital defeots	1	-	Gunshot wound	-	
Enteric fever	-	1	Old age	_	2	Cut, stab	_	
Simple cholera	_	1 -				Burn and scald		2
Diarrhœa, dysentery	2	1	VI.			Poison		_
Remittent fever	-		Apoplexy	_	1	Drowning	-	
Venereal affections	1		Epilepsy			Suffocation		
Erysipelas	-	_	Convulsions	1	1	Otherwise	_	1
Pyæmia and septicæmia	-	2	Other diseases of brain and	T	2	(Homicide.)		
Puerperal fever	-	2	nervous system	I	2	Murder and manslaughter	-	
Other zymotic diseases	-	_	Diseases of organs of special			(Suicide.)		
**			Sense	_	2	Gunshot wound	-	_
II.			Diseases of circulatory system			Cut, stab	-	
Thrush	_		Croup		1	Poison		-
Worms and other parasitical			Pneumonia		3	Drowning	-	-
diseases	_				_	Hanging	-	-
TIT			Pleurisy Other diseases of respiratory			Otherwise		
Privation — Want of breast			system	-		(Execution)		
milk	2		Dentition	1	_		_	
Alcoholism		_	Quinsy, sore throat	_	_	HangingVIII.		
AICOHOHSHI			Enteritis	1	3	Dropsy	-	-
IV.			Peritonitis	_	2	Debility, atrophy, inanition	9	
Rheumatic fever and theu-			Diseases of liver	_	2	Mortification	-	-
matism of heart	_		Other diseases of digestive			Tumor	-	-
Rheumatism	_	_	system		2	Abscess	-	
Gout	_	1	Diseases of lymphatic system			Hæmorrhage		-
Cancer, malignant disease	_	3	and of ductless glands	-	-	Sudden, cause unascertained.	-	-
Tabes mesenterica	_	_	Diseases of urinary system	-	1	Other ill-defined and not spe-		
Tubercular meningitis	-	1	Diseases of generative system	_	1	cified causes	_	

JANUARY, 1896.

The highest temperature in the shade at the Adelaide Observatory during the month was 111°·2 on the 23rd; and the lowest, 52°·5, on the 29th. The mean temperature of the month was 74°·9.

The greatest range of the thermometer in one day, 49°.9, took place on the 23rd, viz., from a maximum of 111°.2 to a minimum of 61°.3; the lowest range, 16°.2, on the 13th.

The mean height of the barometer was 29.797 inches; the maximum, 30.120 inches, occurred on the 29th; and the minimum, 29.394 inches, on the 12th.

Observatory, Adelaide, February 4th, 1896.

C. Todd, Observer.